Author index

Alonso-Romanowski, S., Feliz, M.R., Belocopitow, E. and Disalvo, E.A.
Effect of dolichyl monophosphate on the permeability properties of lipid membranes (946) 389

Alpes, H., Apell, H.-J., Knoll, G., Plattner, H. and Riek, R.
Reconstitution of Na^+/K^+-ATPase into phosphatidylcholine vesicles by dialysis of nonionic alkyl maltoside detergents (946) 379

Anchordoguy, T., Carpenter, J.F., Loomis, S.H. and Crowe, J.H.
Mechanisms of interaction of amino acids with phospholipid bilayers during freezing (946) 299

Andersson, B.-M., see Briving, C. (946) 185

Apell, H.-J., see Alpes, H. (946) 379

Araníbar, N., see Glibowicka, M. (946) 345

Armstrong, M.J., Storch, J. and Dainiak, N.
Structurally distinct plasma membrane regions give rise to extracellular membrane vesicles in normal and transformed lymphocytes (946) 106

Au, K.S., Hsu, L. and Morrison, M.
Ca^{2+}-mediated catabolism of human erythrocyte band 3 protein (946) 113

Ballatori, N., Wondergem, R. and Boyer, J.L.
Effects of L-alanine on membrane potential, potassium (^{86}Rb) permeability and cell volume in hepatocytes from *Raja erinacea* (946) 261

Beaugé, L., see DiPolo, R. (946) 424

Belocopitow, E., see Alonso-Romanowski, S. (946) 389

Bentz, J., see Shavnin, S.A. (946) 405

Bienvenue, A., see Sune, A. (946) 315

Blaustein, R.O. and Finkelstein, A.
A hydroxide ion carrier in planar phospholipid bilayer membranes: $(C_6F_5)_2Hg$ (dipentafluorophenylmercury) (946) 221

Boyer, J.L., see Ballatori, N. (946) 261

Breier, A., Turi Nagy, L., Ziegelhöffer, A. and Monošíková, R.
Principles of selectivity of sodium and potassium binding sites of the Na^+/K^+-ATPase. A corollary hypothesis (946) 129

Brennan Jr., W.A., see Wang, C. (946) 11

Briving, C., Andersson, B.-M., Nordberg, P. and Wallmark, B.
Inhibition of gastric H^+/K^+-ATPase by substituted imidazo[1,2-*a*]pyridines (946) 185

Bursaux, E., see Leclerc, L. (946) 49

Carpenter, J.F., see Anchordoguy, T. (946) 299

Chahwala, S.B., see Wilcock, C. (946) 368

Clejan, S. and Krulwich, T.A.
Permeability studies of lipid vesicles from alkalophilic *Bacillus firmus* showing opposing effects of membrane isoprenoid and diacylglycerol fractions and suggesting a possible basis for obligate alkalophily (946) 40

Condrescu, M., Gerardi, A. and DiPolo, R.
Na^+–Ca^{2+} exchange in squid optic nerve membrane vesicles is activated by internal calcium (946) 289

Crowe, J.H., see Anchordoguy, T. (946) 299

Crowe, J.H., see Crowe, L.M. (946) 193

Crowe, L.M. and Crowe, J.H.
Trehalose and dry dipalmitoylphosphatidylcholine revisited (946) 193

Croxton, T.L.
A model of the gating of ion channels (946) 19

Cuppoletti, J., Strasser, J.E. and Dean, G.E.
An immunoreactive 8-azido ATP-labeled protein common to the lysosomal and chromaffin granule membrane (946) 33

Dainiak, N., see Armstrong, M.J. (946) 106

Daum, G., see Sperka-Gottlieb, C.D.M. (946) 227

Dean, G.E., see Cuppoletti, J. (946) 33

Dean, R.T., see Richards, D.M.C. (946) 281

De Boeck, H. and Zidovetzki, R.
NMR study of the interaction of retinoids with phospholipid bilayers (946) 244

De Gier, J., see Tournois, H. (946) 173

De Kruijff, B., see Tournois, H. (946) 173

DiPolo, R. and Beaugé, L.
An ATP-dependent Na^+/Mg^{2+} countertransport is the only mechanism for Mg extrusion in squid axons (946) 424

DiPolo, R., see Condrescu, M. (946) 289

Disalvo, E.A., see Alonso-Romanowski, S. (946) 389

Dreinhöfer, J., Gögelein, H. and Greger, R.
Blocking kinetics of Cl^- channels in colonic carcinoma cells (HT_{29}) as revealed by 5-nitro-2-(3-phenylpropylamino)benzoic acid (NPPB) (946) 135

Düzgüneş, N., see Shavnin, S.A. (946) 405

Fasold, H., see Fuhrmann, G.F. (946) 25

Fedor, J., see Shavnin, S.A. (946) 405

Feliz, M.R., see Alonso-Romanowski, S. (946) 389

Finkelstein, A., see Blaustein, R.O. (946) 221

Flores Martinez, A. and Schwencke, J.
Chitin synthetase activity is bound to chitosomes and to the plasma membrane in protoplasts of *Saccharomyces cerevisiae* (946) 328

Franklin, C.C., see Kim, H.D. (946) 397
Frost, S.J., McGary, C.T., Raja, R.H. and Weigel, P.H.
Specific intracellular hyaluronic acid binding to isolated rat hepatocytes is membrane-associated (946) 66
Fuhrmann, G.F., Kreutzfeldt, C., Rudolphi, K. and Fasold, H.
The anion-transport inhibitor H_2DIDS cross-links hemoglobin interdimerically and enhances oxygen unloading (946) 25

Gerardi, A., see Condrescu, M. (946) 289
Giménez, C., see Zafra, F. (946) 202
Glibowicka, M., Winckler, B., Aranibar, N., Schuster, M., Hanssum, H., Rüterjans, H. and Passow, H.
Temperature dependence of anion transport in the human red blood cell (946) 345
Gögelein, H., see Dreinhöfer, J. (946) 135
Gorka, C., see Schroeder, F. (946) 85
Greger, R., see Dreinhöfer, J. (946) 135

Haensler, J. and Schuber, F.
Preparation of neo-galactosylated liposomes and their interaction with mouse peritoneal macrophages (946) 95
Haest, C.W.M., see Tournois, H. (946) 173
Hanssum, H., see Glibowicka, M. (946) 345
Hatano, Y., see Nakazato, K. (946) 143
Hayashi, Y., see Urade, R. (946) 151
Helmkamp, Jr., G.M., see Venuti, S.E. (946) 119
Henseleit, U., see Tournois, H. (946) 173
Hermetter, A., see Sperka-Gottlieb, C.D.M. (946) 227
Hernandez-Borrell, J., see Noé, C. (946) 253
Hickman, J.A., see Wilcock, C. (946) 359
Hickman, J.A., see Wilcock, C. (946) 368
Hirashima, N. and Kirino, Y.
Potassium channels in synaptosomal membrane examined using patch-clamp techniques and reconstituted giant proteoliposomes (946) 209
Holman, G.D., Karim, A.R. and Karim, B.
Photolabeling of erythrocyte and adipocyte hexose transporters using a benzophenone derivative of bis(D-mannose) (946) 75
Hsu, L., see Au, K.S. (946) 113
Huang, C.-h., see Lin, H.-n. (946) 178

Inoue, T., see Kaminoh, Y. (946) 337

Jessup, W., see Richards, D.M.C. (946) 281

Kamaya, H., see Kaminoh, Y. (946) 215
Kaminoh, Y., Inoue, T., Ma, S.-M., Ueda, I. and Lin, S.H.
Membrane-buffer partition coefficients of tetracaine for liquid-crystal and solid-gel membranes estimated by direct ultraviolet spectrophotometry (946) 337
Kaminoh, Y., Tashiro, C., Kamaya, H. and Ueda, I.
Depression of phase-transition temperature by anesthetics: nonzero solid membrane binding (946) 215
Karim, A.R., see Holman, G.D. (946) 75
Karim, B., see Holman, G.D. (946) 75
Kim, H.D., Tsai, Y.-S., Franklin, C.C. and Turner, J.T.
Characterization of $Na^+/K^+/Cl^-$ cotransport in cultured HT29 human colonic adenocarcinoma cells (946) 397
Kinsky, S.C., see Noé, C. (946) 253
Kirino, Y., see Hirashima, N. (946) 209
Kito, M., see Urade, R. (946) 151
Knoll, G., see Alpes, H. (946) 379
Konishi, T., see Nakazato, K. (946) 143
Kreutzfeldt, C., see Fuhrmann, G.F. (946) 25
Krulwich, T.A., see Clejan, S. (946) 40

Lang, F., see Völkl, H. (946) 5
Lawaczeck, R.
First direct observation of the water exchange across the membrane of a single-cell green alga on a cellular level (946) 165
Leclerc, L., Vasseur, C., Bursaux, E., Marden, M. and Poyart, C.
Inhibition of membrane erythrocyte $(Ca^{2+} + Mg^{2+})$-ATPase by hemin (946) 49
Le Grimellec, C., see Vénien, C. (946) 307
Leserman, L., see Noé, C. (946) 253
Lin, H.-n. and Huang, C.-h.
Eutectic phase behavior of 1-stearoyl-2-caprylphosphatidylcholine and dimyristoylphosphatidylcholine mixtures (946) 178
Lin, S.H., see Kaminoh, Y. (946) 337
Loomis, S.H., see Anchordoguy, T. (946) 299

Ma, S.-M., see Kaminoh, Y. (946) 337
Marden, M., see Leclerc, L. (946) 49
Matsuura, E., see Noé, C. (946) 253
McGary, C.T., see Frost, S.J. (946) 66
Medina, M.A., Sánchez-Jiménez, F., Segura, J.A. and Núñez de Castro, I.
Transmembrane ferricyanide reductase activity in Ehrlich ascites tumor cells (946) 1
Monošíková, R., see Breier, A. (946) 129
Morin, P., see Sune, A. (946) 315
Morrison, M., see Au, K.S. (946) 113
Morrison, W.J., see Schroeder, F. (946) 85
Mosior, M.
Elastic properties of the erythrocyte membrane and the critical cell volume of erythrocytes (946) 429
Murakami, N., see Nakazato, K. (946) 143
Murphy, A.J.
Affinity labeling of the active site of the Ca^{2+}-ATPase of sarcoplasmic reticulum (946) 57

Naftalin, R.J.
Pre-steady-state uptake of D-glucose by the human erythrocyte is inconsistent with a circulating carrier mechanism (946) 431
Nakazato, K., Murakami, N., Konishi, T. and Hatano, Y.
Membrane potential in liposomes measured by the transmembrane distribution of $^{86}Rb^+$, tetraphenylphosphonium or triphenylmethylphosphonium: Effect of cholesterol in the lipid bilayer (946) 143
Noé, C., Hernandez-Borrell, J., Kinsky, S.C., Matsuura, E. and Leserman, L.
Inhibition of cell proliferation with antibody-targeted liposomes containing methotrexate-γ-dimyristoylphosphatidylethanolamine (946) 253

Nordberg, P., see Briving, C. (946) 185
Núñez de Castro, I., see Medina, M.A. (946) 1

Okamura, E., see Ter-Minassian-Saraga, L. (946) 417

Paltauf, F., see Sperka-Gottlieb, C.D.M. (946) 227
Passow, H., see Glibowicka, M. (946) 345
Pedroso de Lima, M.C., see Shavnin, S.A. (946) 405
Plattner, H., see Alpes, H. (946) 379
Poyart, C., see Leclerc, L. (946) 49

Raja, R.H., see Frost, S.J. (946) 66
Richards, D.M.C., Dean, R.T. and Jessup, W.
Membrane proteins are critical targets in free radical mediated cytolysis (946) 281
Riek, R., see Alpes, H. (946) 379
Rudolphi, K., see Fuhrmann, G.F. (946) 25
Rüterjans, H., see Glibowicka, M. (946) 345

Sainte-Marie, J., see Sune, A. (946) 315
Sánchez-Jiménez, F., see Medina, M.A. (946) 1
Schroeder, F., Morrison, W.J., Gorka, C. and Wood, W.G.
Transbilayer effects of ethanol on fluidity of brain membrane leaflets (946) 85
Schuber, F., see Haensler, J. (946) 95
Schuster, M., see Glibowicka, M. (946) 345
Schwencke, J., see Flores Martinez, A. (946) 328
Segura, J.A., see Medina, M.A. (946) 1
Shavnin, S.A., Pedroso de Lima, M.C., Fedor, J., Wood, P., Bentz, J. and Düzgüneş, N.
Cholesterol affects divalent cation-induced fusion and isothermal phase transitions of phospholipid membranes (946) 405
Smutzer, G.
A fluorescent sterol probe study of cholesterol/phospholipid membranes (946) 270
Sperka-Gottlieb, C.D.M., Hermetter, A., Paltauf, F. and Daum, G.
Lipid topology and physical properties of the outer mitochondrial membrane of the yeast, *Saccharomyces cerevisiae* (946) 227
Storch, J., see Armstrong, M.J. (946) 106
Strasser, J.E., see Cuppoletti, J. (946) 33
Sune, A., Vidal, M., Morin, P., Sainte-Marie, J. and Bienvenue, A.
Evidence for bidirectional transverse diffusion of spin-labeled phospholipids in the plasma membrane of guinea pig blood cells (946) 315

Takenaka, T., see Ter-Minassian-Saraga, L. (946) 417
Tashiro, C., see Kaminoh, Y. (946) 215
Ter-Minassian-Saraga, L., Okamura, E., Umemura, J. and Takenaka, T.
Fourier transform infrared-attenuated total reflection spectroscopy of hydration of dimyristoylphosphatidylcholine multibilayers (946) 417
Thomas, P.G., Zimmermann, A.G. and Verkleij, A.J.
Prevention of calcium-induced membrane structural alterations in erythrocyte membranes by flunarizine (946) 439
Tournois, H., Henseleit, U., De Gier, J., De Kruijff, B. and Haest, C.W.M.
Relationship between gramicidin conformation dependent induction of phospholipid transbilayer movement and hexagonal H_{II} phase formation in erythrocyte membranes (946) 173
Tsai, Y.-S., see Kim, H.D. (946) 397
Turi Nagy, L., see Breier, A. (946) 129
Turner, J.T., see Kim, H.D. (946) 397

Ueda, I., see Kaminoh, Y. (946) 215
Ueda, I., see Kaminoh, Y. (946) 337
Umemura, J., see Ter-Minassian-Saraga, L. (946) 417
Urade, R., Hayashi, Y. and Kito, M.
Endosomes differ from plasma membranes in the phospholipid molecular species composition (946) 151

Vasseur, C., see Leclerc, L. (946) 49
Vénien, C. and Le Grimellec, C.
The involvement of cytoskeletal proteins in the maintenance of phospholipid topology in renal brush-border membranes (946) 307
Venuti, S.E. and Helmkamp, Jr., G.M.
Tissue distribution, purification and characterization of rat phosphatidylinositol transfer protein (946) 119
Verkleij, A.J., see Thomas, P.G. (946) 439
Vidal, M., see Sune, A. (946) 315
Völkl, H. and Lang, F.
Effect of amiloride on cell volume regulation in renal straight proximal tubules (946) 5

Wallmark, B., see Briving, C. (946) 185
Wang, C. and Brennan Jr., W.A.
Rat skeletal muscle, liver and brain have different fetal and adult forms of the glucose transporter (946) 11
Weigel, P.H., see Frost, S.J. (946) 66
Wilcock, C. and Hickman, J.A.
Characterisation of a $Na^+/K^+/Cl^-$ cotransporter in alkylating agent-sensitive L1210 murine leukemia cells (946) 359
Wilcock, C., Chahwala, S.B. and Hickman, J.A.
Selective inhibition by bis(2-chloroethyl)methylamine (nitrogen mustard) of the $Na^+/K^+/Cl^-$ cotransporter of murine L1210 leukemia cells (946) 368
Winckler, B., see Glibowicka, M. (946) 345
Wondergem, R., see Ballatori, N. (946) 261
Wood, P., see Shavnin, S.A. (946) 405
Wood, W.G., see Schroeder, F. (946) 85

Zafra, F. and Giménez, C.
Efflux and exchange of glycine by plasma membrane vesicles isolated from glioblastoma cells (946) 202
Zasadzinski, J.A.N.
Effect of stereoconfiguration on ripple phases ($P_{\beta'}$) of dipalmitoylphosphatidylcholine (946) 235
Zidovetzki, R., see De Boeck, H. (946) 244
Ziegelhöffer, A., see Breier, A. (946) 129
Zimmermann, A.G., see Thomas, P.G. (946) 439